















Note: For this worksheet especially, there may be alternative correct answers


- 1 a translated 3 units in negative x -direction and translated 2 units in positive y -direction
 b translated 1 unit in positive x -direction and stretched by a factor of 3 in y -direction
 c reflected in the x -axis and then translated 4 units in positive y -direction
 d translated 6 units in negative x -direction and then stretched by a factor of $\frac{1}{2}$ in x -direction
- 2 a $= (x + 3)^2 - 9 + 2 = (x + 3)^2 - 7$
 b translation by 3 units in negative x -direction and translation by 7 units in negative y -direction
- 3 a $y = 2[2(x - 3) + 7] \Rightarrow y = 4x + 2$
 b $y = 2[3e^{(x-3)}] \Rightarrow y = 6e^{x-3}$
 c $y = 2[(x - 3)^2 - 3(x - 3) + 1] \Rightarrow y = 2x^2 - 18x + 38$
 d $y = 2\left[\frac{1}{(x-3)}\right] \Rightarrow y = \frac{2}{x-3}$
- 4 a stretch by a factor of 3 in y -direction, then translation by 2 units in positive y -direction
 b reflection in the y -axis and translation by 5 units in positive y -direction (either first)
 c translation by 4 units in negative x -direction and stretch by a factor of 3 in y -direction (either first)
 d translation by 1 unit in positive x -direction, then stretch by a factor of $\frac{1}{2}$ in x -direction
- 5 a  b  c  d 
- 6 first $\Rightarrow y = (x + 2)^2 + 4(x + 2) - 2 \Rightarrow y = x^2 + 8x + 10$
 second $\Rightarrow y = 3[x^2 + 8x + 10] \Rightarrow y = 3x^2 + 24x + 30$
 third $\Rightarrow y = 3(-x)^2 + 24(-x) + 30 \Rightarrow y = 3x^2 - 24x + 30$
- 7 a $= 2[x^2 - 2x] + 7 = 2[(x - 1)^2 - 1] + 7 = 2(x - 1)^2 + 5$
 b translation by 5 units in negative y -direction,
 then stretch by a factor of $\frac{1}{2}$ in y -direction,
 then translation by 1 unit in negative x -direction
- 8 a $f'(x) = 3x^2 - 6x$
 SP: $3x^2 - 6x = 0$
 $3x(x - 2) = 0$
 $x = 0, 2$
 $\therefore (0, 4)$ and $(2, 0)$
- b i $(0, -8)$ and $(2, 0)$ ii $(0, 7)$ and $(4, 3)$ iii $(2, 4)$ and $(0, 0)$

- 9 a stretch by factor of 3 in y -direction,
then reflection in x -axis,
then translation by 2 units in +ve y -dir'n
- 10 a 180°
b $(0, 1)$
c $(90, 3)$ and $(270, 3)$



- 12 a 60°
b $\frac{360^\circ}{k}$

- 14 a max. value 4 $\therefore a = 4$
max. occurs at $x = 45 \therefore b = 2$
b $(135, -4)$



- b $(\pi, 2)$
c $2 \sin \frac{1}{2}x = \sqrt{2}$
 $\sin \frac{1}{2}x = \frac{1}{\sqrt{2}}$
 $\frac{1}{2}x = \frac{\pi}{4}, \pi - \frac{\pi}{4}$
 $= \frac{\pi}{4}, \frac{3\pi}{4}$
 $x = \frac{\pi}{2}, \frac{3\pi}{2}$